




FEBRUARY 2024  
BUILDING PHYSICS CHARACTERISTIC VALUES

# Isokorb® for steel structures



Load-bearing thermal insulation elements  
for the effective reduction of thermal  
bridges in cantilevered steel constructions.

## Schöck Isokorb® T type SK, SQ

T type SK 1.0	M1-V1		M1-V2		MM1-VV1		MM2-VV1		MM2-VV2	
	H [mm]	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$
180	0.204	0.393	0.192	0.417	0.204	0.393	0.108	0.743	0.103	0.773
200	0.225	0.356	0.211	0.380	0.225	0.356	0.119	0.672	0.114	0.700
220	0.244	0.328	0.230	0.348	0.244	0.328	0.130	0.614	0.125	0.639
240	0.263	0.304	0.249	0.321	0.263	0.304	0.141	0.567	0.136	0.589
250	0.273	0.293	0.258	0.310	0.273	0.293	0.147	0.545	0.141	0.567
260	0.283	0.283	0.268	0.299	0.283	0.283	0.152	0.525	0.146	0.547
280	0.302	0.265	0.285	0.281	0.302	0.265	0.163	0.491	0.157	0.509

T type SQ 1.0	V1		V2		V3	
	H [mm]	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$
180	0.340	0.235	0.307	0.261	0.274	0.292
200	0.370	0.216	0.335	0.239	0.302	0.265
220	0.402	0.199	0.364	0.220	0.328	0.244
240	0.430	0.186	0.390	0.205	0.351	0.228
250	0.447	0.179	0.404	0.198	0.364	0.220
260	0.460	0.174	0.419	0.191	0.377	0.212
280	0.488	0.164	0.444	0.180	0.400	0.200

- $R_{eq}$  Equivalent thermal transmission resistance in  $m^2 \cdot K/W$
- $\lambda_{eq}$  Equivalent thermal conductivity in  $W/(m \cdot K)$
- Values determined on the basis of EAD (European Assessment Document): EAD 050001-00-0301 (2018/C 090/04)

## Schöck Isokorb® T type S

T type S-V 2.0	D16		D22	
H [mm]	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$
80	0.065	1.238	0.049	1.648

T type S-N 2.0	D16		D22	
H [mm]	$R_{eq}$	$\lambda_{eq}$	$R_{eq}$	$\lambda_{eq}$
60	0.123	0.648	0.067	1.195

- $R_{eq}$  Equivalent thermal transmission resistance in  $m^2 \cdot K/W$
- $\lambda_{eq}$  Equivalent thermal conductivity in  $W/(m \cdot K)$
- Values determined on the basis of EAD (European Assessment Document): EAD 050001-00-0301 (2018/C 090/04)



**Imprint**

Published by: Schöck Bauteile GmbH  
Schöckstraße 1  
76534 Baden-Baden, Germany  
Telephone: +49 7223 967-0

**Copyright:**

© 2024, Schöck Bauteile GmbH

The contents of this publication must not be passed on to third parties, neither in full nor in part, without the written authorisation of Schöck Bauteile GmbH. All technical details, drawings etc. are protected by copyright laws.

Subject to technical changes

Date of publication: February 2024

Sales and Technical Support

Denmark:

HauCon A/S

Lægårdsvej 30

DK-8520 Lystrup

Telefon: +45 86 22 93 93

ta@haucon.dk

www.schoeck.com

Norway:

HauCon Norge AS

Johan Follestads vei 3

3474 Åros

Telefon: +47 31 30 25 00

post@haucon.no

www.schoeck.com

Sweden:

Schöck Sweden

Magasinsgatan 29A

434 37 Kungsbacka, Sverige

Tel.: +46 761 094192

henrik.ohlsson@schoeck.com

www.schoeck.com



**Manufacturer**

Schöck Bauteile GmbH

Schöckstraße 1

76534 Baden-Baden

Germany

www.schoeck.com