


## Thermally separated ceiling connector

Wooden balcony, cantilevered

Wall with thermal insulation composite system

Detailed view above wall | below window

DCIK 37-02-TF | M 1 : 10



Component, example	
①	Thermal insulation composite system
②	Reinforced concrete lintel
③	Interior plaster
④	Insulation
⑤	Wooden beams (e.g., laminated timber)
⑥	Head plate with cleat and blades, galvanized
⑦	Schöck Isokorb® XT type SK
⑧	Floor covering, floating screed
⑨	Impact sound and thermal insulation

Component, example	
⑩	Reinforced concrete ceiling
⑪	Threshold, thermally insulated
⑫	Plastering profile, joint sealing tape
⑬	Railing
⑭	Wooden framework
⑮	Facade channel
⑯	Wooden floorboards, substructure, support system
⑰	Aluminum tray, on wooden formwork
⑱	Window mounting frame

Note: This detailed view is a general, non-binding planning proposal which only provides a schematic overview of the construction work. The planner and processor are responsible for checking applicability and completeness for each construction project. Adjacent components are only shown schematically. All specifications and assumptions must be adapted or coordinated to local conditions. The respective technical specifications of the data sheets, processing guidelines, standards, and system approvals must be observed. Balconies, arcades, and canopies require their own statics.