


Thermally separated ceiling connector

Precast reinforced concrete balcony, supported, subsequent assembly

Wall with thermal insulation composite system

Detailed view above door | below window

DCIK 45-02-TF | M 1 : 10



Component, example	
①	Thermal insulation composite system
②	Grouting mortar
③	Interior plaster
④	Insulation
⑤	Slab
⑥	Precast reinforced concrete, waterproof concrete
⑦	Schöck Isokorb® XT type Q-ID and IDock
⑧	Floor covering, floating screed
⑨	Impact sound and thermal insulation

Component, example	
⑩	Reinforced concrete ceiling, existing
⑪	Threshold, thermally insulated
⑫	Plastering profile or elastic connector
⑬	Railing
⑭	Window element, door element
⑮	Facade channel
⑯	Aluminum sheet, edged
⑰	Support system
⑱	Steel support with corrosion protection

Note: This detailed view is a general, non-binding planning proposal which only provides a schematic overview of the construction work. The planner and processor are responsible for checking applicability and completeness for each construction project. Adjacent components are only shown schematically. All specifications and assumptions must be adapted or coordinated to local conditions. The respective technical specifications of the data sheets, processing guidelines, standards, and system approvals must be observed. Balconies, arcades, and canopies require their own statics.